Revision date: 04.03.2019



### SAFETY DATA SHEET

### **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ak

- **Product name AKPEROX A2**
- **Chemical name** Methyl Ethyl Ketone Peroxide

ORGANIC PEROXIDES, INITIATORS

PAINT DRIERS

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- **Identified uses** Industrial use. Uses advised against No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

AKPA KİMYA AMBALAJ SANAYİ VE TİCARET ANONİM ŞİRKETİ
Yenibosna Merkez Mah. Ladin Sok.
No:36/70 Kat:12 34197 Townofis Bahçelievler, İstanbul, TÜRKİYE
Web: www.akpakimya.com
TEL: +90 212 580 55 59
FAX: +90 212 580 55 21
E-mail: info@akpakimya.com
Export Department - export@akpakimya.com

#### 1.4. Emergency telephone number

Emergency telephone	AKPA Kimya : +90 212 580 55 59
---------------------	--------------------------------

**SECTION 2: Hazards identification** 

#### 2.1. Classification of the substance or mixture

#### Classification (EC 1272/2008)

Physical hazards	Org. Perox. D - H242
Health hazards	Acute Tox. 4 - H302 Skin Corr. 1B - H314
Environmental hazards	Not Classified

#### 2.2. Label elements

#### Pictogram



Danger





### **SAFETY DATA SHEET**

### **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Hazard statements	H242 H302 H314	Heating may cause a fire. Harmful if swallowed. Causes severe skin burns and eye damage.		
Precautionary statements	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Nosmoking.		
	P220	Keep away from amine and cobalt accelerators, acids, alkalis and heavy metalcompounds, combustible materials.		
	P234	Keep only in original container		
	P280	Wear protective gloves/protective clothing/eye protection/face protection.		
	P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.		
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.			
	Remove contact lenses, if present and easy to do. Continue rinsing			
	P411+P235	Store at temperatures not exceeding (5) - (30)°C. Keep cool.		
	P501	Dispose of contents/container in accordance with national regulations.		

#### Commission Regulation (EU) No 2015/830 of 28 May 2015.

Contains

Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide

#### 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Reaction mass of butane-2,2-diyl dihydroperoxide and dioxydibutane-2,2-diyl dihydroperoxide REACH Reg. No: 01-2119514691-43-0007			%25-40	
CAS Number		1338-23-4	EC Number	700-954-4
Classification				
Org. Perox. D	H242			
Acute Tox. 4	H302			
Acute Tox. 4	H332			
Skin Corr. 1B	H314			
Eye Dam. 1	H318			



ORGANIC PEROXIDES, INITIATORS PAINT DRIERS



# SAFETY DATA SHEET

### **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

2,2' -oxybisethan	ol			%5-10
CAS Number		111-46-6	EC Number	203-872-2
Classification			•	
Acute Tox. 4	H302			
BUTANONE				%5-10
CAS Number		78-93-3	EC Number	201-159-0
Classification				

STOT SE 3H336The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures** 

EUH066 Eye Irrit. 2

#### 4.1. Description of first aid measures

H319

General information	Effects may be delayed. Keep affected person under observation. Chemical burns must be treated by a physician.
Inhalation	Remove affected person from source of contamination. Keep affected person warm and at rest. Get medical attention immediately.
Ingestion	Rinse mouth thoroughly with water. DO NOT induce vomiting. Get medical attention immediately.
Skin contact	Remove affected person from source of contamination. Immediately remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.

#### 4.2. Most important symptoms and effects, both acute and delayed



Revision date: 04.03.2019 Supersedes date: 23.11.2017



# SAFETY DATA SHEET

### **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

General information	Move out of dangerous ares. Show this Safety data sheet to the doktor in attendance. Do not leave the victim unattended. Symptoms of poisoning may appear several hours later. Call a physician immediately.	
Inhalation	Nausea, vomiting. Dizziness.	
Ingestion	May cause stomach pain or vomiting. Chemical burns.	
Skin contact	May cause serious chemical burns to the skin.	
Eye contact	May cause severe eye irritation.	
4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting measures		

#### 5.1. Extinguishing media

Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.	
Unsuitable extinguishing Media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising fro	m the substance or mixture	
Specific hazards	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m <sup>3</sup> . Vapours may form explosive mixtures with air. Forms explosive mixtures with air. May explode when heated or when exposed to flames or sparks. Containers can burst violently or explode when heated, due to excessive pressure build-up.	
Hazardous decomposition pro	ducts	
	Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefi	ghting	

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Cool containers exposed to flames with water until well after the fire is out. Fight fire from safe distance or protected location. Move containers from fire area if it can be done without risk. Do not use water jet as an extinguisher, as this will spread the fire. Control run-off water by containing and keeping it out



### SAFETY DATA SHEET

#### **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriatefor firefightersprotective clothing. Firefighter's clothing conforming to European standard EN469(including helmets, protective boots and gloves) will provide a basic level of<br/>protection for chemical incidents.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsWear protective clothing as described in Section 8 of this safety data sheet. No<br/>smoking, sparks, flames or other sources of ignition near spillage. Avoid inhalation<br/>of vapours and contact with skin and eyes. Provide adequate ventilation.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning upKeep combustible materials away from spillage. Eliminate all sources of ignition. No<br/>smoking, sparks, flames or other sources of ignition near spillage. Provide adequate<br/>ventilation. Absorb in vermiculite, dry sand or earth and place into containers.<br/>Wash thoroughly after dealing with a spillage. Do not touch or walk into spilled<br/>material. Wear suitable protective equipment, including gloves, goggles/face<br/>shield, respirator, boots, clothing or apron, as appropriate.

#### 6.4. Reference to other sections

Reference to the otherFor personal protection, see Section 8. See Section 11 for additional information onsectionshealth hazards. For waste disposal, see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Usage precautions	Keep away from heat, sparks and open flame. Avoid inhalation of vapours/spray and contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level. Do not handle broken packages without protective equipment.
Advice on general occupational hygiene	Eye wash facilities and emergency shower must be available when handling this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving



ORGANIC PEROXIDES, INITIATORS PAINT DRIERS



## SAFETY DATA SHEET

### **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

the work site. Good personal hygiene procedures should be implemented. Mechanical ventilation or local exhaust ventilation may be required. Container must be kept tightly closed when not in use.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Storage precautions
  Keep away from oxidising materials, heat and flames. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Avoid contact with oxidising agents. Store away from the following materials: Acids. Alkalis. Keep away from flammable and combustible materials.
  7.3. Specific end use(s)
- **Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

**Occupational exposure limits** 

#### **Dimethyl Phthalate**

Long-term exposure limit (8-hour TWA): WEL 5 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 10 mg/m<sup>3</sup>

#### Methyl ethyl ketone peroxide

Short-term exposure limit (15-minute): WEL 0.2 ppm 1.5 mg/m<sup>3</sup>

#### **BUTANONE**

Long-term exposure limit (8-hour TWA): WEL 200 ppm(Sk) 600 mg/m3(Sk) Short-term exposure limit (15-minute): WEL 300 ppm(Sk) 899 mg/m3(Sk)

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits


#### 8.2. Exposure controls

#### **Protective equipment**



#### Appropriate engineering

6 / 14





akf

## SAFETY DATA SHEET

#### **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Wear protective gloves made of the following material: Neoprene. Nitrile rubber. Rubber (natural, latex). The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Check that the respirator fits tightly and the filter is changed regularly.
Environmental exposure controls	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

### **SECTION 9: Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Colourless.
Odour	Characteristic.
Relative density	1,14±0,005 gr/cm <sup>3</sup> @20°C
Solubility(ies)	Partially soluble in water.
Flammability (solid, gas)	Not applicable
Viscosity	No data available.
9.2. Other information Active Oxygen Content SADT	8,9 - 9,1% 60°C



#### ORGANIC PEROXIDES, INITIATORS PAINT DRIERS

akf

## SAFETY DATA SHEET

# **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

SECTION 10: Stability and rea	activity					
10.1. Reactivity						
Reactivity	There are no known reactivity hazards associated with this product.					
10.2. Chemical stability Stability	Stable at normal ambient temperatures.					
10.3. Possibility of hazardous	reactions					
Possibility of hazardous reactions	Not available.					
10.4. Conditions to avoid						
Conditions to avoid	Avoid heat, flames and other sources of ignition.					
10.5. Incompatible materials						
Materials to avoid	Strong alkalis. Strong acids. Strong reducing agents. Strong oxidising agents. Some metals.					
10.6. Hazardous decompositio	on products					
Hazardous decomposition Products	ion Oxides of carbon. Carbon monoxide (CO). Carbon dioxide (CO2). Hydrocarbons.					
SECTION 11: Toxicological int	formation					
11.1. Information on toxicolog	gical effects					
Toxicological information	ATE <sub>KARIŞIM</sub> , oral 1036 mg/kg					
Serious eye damage/irritation	: Causes burns.					
Skin corrosion/irritation:	Causes burns.					
Respiratory or skin sensitisation Respiratory sensitisation	on: Based on available data the classification criteria are not met.					
Germ cell mutagenicity: Genotoxicity - In Vitro - In Vivo	Based on available data the classification criteria are not met.					
	8 / 14					



ORGANIC PEROXIDES, INITIATORS PAINT DRIERS



### SAFETY DATA SHEET

### **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive Toxicity:	Based on available data the classification criteria are not met.
Reproductive Toxicity – Development	Based on available data the classification criteria are not met.
Specific target organ toxicity - single exposure	<b>xposure:</b> Based on available data the classification criteria are not met.
Specific target organ toxicity - repeate STOT - Repeated exposure	<b>d exposure:</b> Based on available data the classification criteria are not met.
Aspiration Hazard	Based on available data the classification criteria are not met.
Inhalation	Harmful by inhalation. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	Harmful if swallowed. May cause burns in mucous membranes, throat, oesophagus and stomach.
Skin contact	Causes burns. Harmful in contact with skin. May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	Causes burns.
Route of entry	Ingestion Inhalation Skin and/or eye contact
Target organs	Respiratory system, lungs
Medical considerations	Skin disorders and allergies.

### Toxicological information on ingredients.

t)
- rat)

#### **SECTION 12: Ecological Information**

- 12.1. Toxicity
- **Ecological information on ingredients.**

**BUTANONE (CAS: 78-93-3)** 



#### ORGANIC PEROXIDES, INITIATORS PAINT DRIERS

ak

## SAFETY DATA SHEET

### **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

Acute toxicity - fish	LC₅o, 96 hours: 3.22 g/l mg/l, Fish
LC 50, 96 Hrs, Fish EC 50, 48 Hrs, Daphn	2,2'-OXYBISETHANOL (CAS: 111-46-6) 75200 mg/l Pimephales promelas ia 84000 mg/L
12.2. Persistence and degrad Persistence and degradabilit	-
12.3. Bio accumulative pote Bio accumulative potential	ntial No data available on bioaccumulation.
12.4. Mobility in soil Mobility 12.5. Results of PBT and vPv	The product is partly miscible with water and may spread in the aquatic environment. B assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects Other adverse effects	May be hazardous to aquatic life.
SECTION 13: Disposal consi	derations
13.1. Waste treatment meth	nods
General information	Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Containers should be thoroughly emptied before disposal because of the risk of an explosion. Environmental Manager must be informed of all major spillages.

#### **SECTION 14: Transport information**

**General information** For limited quantity packaging/limited load information, consult the relevant modal



#### ORGANIC PEROXIDES, INITIATORS PAINT DRIERS

# SAFETY DATA SHEET

### **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

documentation using the data shown in this section.

14.1. UN number

akf

UN No. (ADR/RID)	3105	
UN No. (IMDG)	3105	
UN No. (ICAO)	3105	
UN No. (ADN)	3105	
14.2. UN proper shipping name		

Proper Shipping name (ADR/RID)		PEROXIDE roxide and d				·		butane-2,2-diyl
Proper Shipping name (IMDG)		PEROXIDE roxide and d			-	·		butane-2,2-diyl
Proper Shipping name (ICAO) Proper Shipping name	dihydrope	roxide and d	ioxydib	utar	ne-2,2-diy	l dihydrope	roxide)	butane-2,2-diyl butane-2,2-diyl
(ADN)		roxide and d			-	·		

14.3. Transport hazard class(es)

5.2
5.2
5.2
5.2

#### **Transport labels**



**14.4. Packing group** Not applicable.

14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant** No



### SAFETY DATA SHEET

### **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

#### 14.6. Special precautions for user

ak

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what todo in the event of an accident or spillage.

EmSF-J, S-REmergency Action Code2WEHazard Identification Number-(ADR/RID)-Tunnel restriction code(D)

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

ORGANIC PEROXIDES, INITIATORS

PAINT DRIERS

Transport in bulk accordingNot Applicable.to Annex II of MARPOL

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information				
Key literature references and sources for data	This SDS is prepared based on the information received from the product owner.			
Classification procedures	according to Regulation (EC) 1272/2008			





23.11.2017 Management System So 9001/2015 OHSAS 18001/2007 Www.tux.com ID 910603551

# SAFETY DATA SHEET

# **AKPEROX A2**

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

	Skin Corr. 1B - H314; Acute Tox. 4 H302: Calculation Method. Org. Perox. D - H242: Expert Judgement.				
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.				
Revision comments	Added REACH Number.				
Issued By	Simge ARIK lab@akpakimya.com +90 282 361 80 99				
Issued Date	23.11.2017				
Revision date	04.03.2019				
Revision	1.0				
Hazard statements in full	H225 Highly flammable liquid and vapour.				
	H242 Heating may cause a fire.				
	H302 Harmful if swallowed.				
	H314 Causes severe skin burns and eye damage.				
	H318 Causes serious eye damage.				
	H319 Causes serious eye irritation.				
	H332 Harmful if inhaled.				
	H336 May cause drowsiness or dizziness.				
	EUH066 Repeated exposure may cause skin dryness or cracking.				



#### ORGANIC PEROXIDES, INITIATORS PAINT DRIERS

ak

### SAFETY DATA SHEET AKPEROX A2

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.